

Contents

A.A. Amin, M.F. Gergis	Integrated management strategies for control of cotton key pests in Middle Egypt	121
O. Auškalnienė, A. Auškalnis	Effect of sulfonylurea herbicides on weeds and maize	129
A. Auškalnis, A. Kadzys	Effect of timing and dosage in herbicide application on weed biomass in spring wheat	133
I. Brazauskiene, E. Petraitiene	Epidemiological studies into <i>Phoma lingam</i> (teleomorph <i>Leptosphaeria maculans</i>) infections in winter and spring oilseed rape	137
V. Būda, Ž. Lukšienė, S. Radžiūtė, N. Kurilčik, S. Juršėnas	Search for photoinsecticides: effect of hematoporphyrin dimethyl ether on leafmining pest <i>Liriomyza bryoniae</i> (Diptera: Agromyzidae)	141
V. Bulovienė, E. Survilienė	Effect of environmental conditions and inoculum concentration on sporulation of <i>Peronospora destructor</i>	147
D. Burokienė	Early detection of <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> in tomato seedlings	151
L. Buskienė, N. Uselis, J. Lanauskas	Possibilities of weed control with herbicide Basta 150 SL in a young apple tree orchard	155
I. Deveikyte, V. Seibutis	Broadleaf weeds and sugar beet response to phenmedipham, desmedipham, ethofumesate and triflurosulfuron-methyl	159
L. Duchovskienė	The abundance and population dynamics of onion thrips (<i>Thrips tabaci</i> Lind.) in leek under field conditions	163
V. Eremeev, A. Lõhmus, J. Jõudu	NegFry – DSS for the chemical control of potato late blight – results of validation trials in Tartu	167
E.L. Gasich, A.O. Berestetskiy	Studies on soil application of <i>Stagonospora cirsi</i> , a candidate for biological control of <i>Cirsium arvense</i>	171
I. Gaurilčikienė, A. Ronis	The effect of strobilurin fungicides on the development of foliar diseases of winter wheat	177
M. Grišakova, L. Metspalu, K. Jõgar, K. Hiisaar, A. Kuusik, P. Põldma	Effects of biopesticide Neem EC on the Large White Butterfly, <i>Pieris brassicae</i> L. (Lepidoptera, Pieridae)	181
L. Hanni, A. Luik	Parasitism of raspberry beetle (<i>Byturus tomentosus</i> F.) larvae in different cropping techniques of red raspberry	187

K. Hiisaar, L. Metspalu, K. Jõgar	Attractiveness and susceptibility of <i>Brassica rapa</i> , <i>B. napus</i> and <i>Sinapis alba</i> to the flea beetles (Coleoptera: Chrysomelidae)	191
D. Jodaugienė, R. Pupalienė, M. Urbonienė, V. Pranckietis, I. Pranckietienė	The impact of different types of organic mulches on weed emergence	197
K. Jõgar, A. Kuusik, L. Metspalu, K. Hiisaar, A. Luik, M. Grishakova	Results of treatments with natural insecticidal substances on the development and physiological state of insects	203
R. Karise, M. Mänd, M. Ivask, E. Koskor, A. Bender	The effect of pollen amount and its caloric value in hybrid lucerne (<i>Medicago x varia</i>) on its attractiveness to bumble bees (<i>Bombus terrestris</i>)	211
D. Kavaliauskaitė, Č. Bobinas	Determination of weed competition critical period in red beet	217
P. Kerpauskas, A. P. Sirvydas, P. Lazauskas, R. Vasinauskiene, A. Tamosiunas	Possibilities of weed control by water steam	221
R. Kevvääi, E. Veromann, A. Luik, M. Saarniit	Cabbage seed weevil (<i>Ceutorhynchus assimilis</i> Payk.) and its parasitoids in oilseed rape crops in Estonia	227
I. Kokina, I. Rashal	Monitoring the population of <i>Blumeria graminis</i> f. sp. <i>hordei</i> in the South-Eastern part of Latvia	231
M. Kopacki, A. Wagner	Effect of some fungicides on mycelium growth of <i>Fusarium avenaceum</i> (Fr.) Sacc. pathogenic to chrysanthemum (<i>Dendranthema grandiflora</i> Tzvelev)	237
J. Korolova, D. Lapinsh, A. Berzinsh	Weed dynamics in differently managed fields	241
J. Lanauskas, N. Uselis, A. Valiuškaitė, P. Viškelis	Effect of foliar and soil applied fertilizers on strawberry healthiness, yield and berry quality	247
A. Leistrumaitė, Ž. Liatukas	Resistance of spring barley cultivars to the new disease <i>Ramularia</i> leaf spot, caused by <i>Ramularia collo-cygni</i>	251
Ž. Liatukas, V. Ruzgas	Peculiarities of selection for winter wheat resistance to common bunt	257
I. Liblikas, S. Kuusik	Pheromone research in Estonia	263
A. Lind, A.-J. Martin, Ü. Aron, K. Hiisaar, E. Koskor, T. Lukas	Development and control of mound nests of black garden ant (<i>Lasius niger</i>) in farmland	269
H. Lõiveke	Incidence of <i>Fusarium</i> spp. on several field crops in Estonia and their toxicity towards <i>Bacillus stearothermophilus</i>	273

S. Maiksteniene, A. Arlauskiene	The effect of agricultural management systems on the weed incidence in cereals	281
S. Maļeckā, G. Bremanis	Effectivity of reduced dosages of herbicides to weed constitution of spring barley I	287
A. Marcinkevičienė, S. Raudonius, R. Velička	Weed suppression by increasing spring rape crop density	293
E. Merivee, A. Must, M. Milius, A. Luik	External stimuli in searching for favourable habitat, overwintering sites and refugia of ground beetles: a short review	299
R. Mikaliūnaitė, Z. Dabkevičius	Efficacy of seed treaters on the germination of ergot (<i>Claviceps purpurea</i> (Fr.) Tul.) sclerotia and stroma formation	303
L. Narits	Occurrence of pests and stem rot on various oil crops	307
V. Pilipavicius, R. Romaneckiene, A. Ramaskeviciene, A. Sliesaravicius	The effect of CO ₂ and temperature combinations on <i>Chenopodium album</i> L. early growth	311
L. Raudonis	Comparative toxicity of spirodiclofen and lambda-cyhalothrin to <i>Tetranychus urticae</i> , <i>Tarsonemus pallidus</i> and predatory mite <i>Amblyseius andersoni</i> in a strawberry site under field conditions	317
R. Reiman, L. Vakra	Environmental risk assessment of plant protection products	323
R. Repšienė, R. Nekrošiene	Resistance of red clover to diseases and pests under different growing conditions	327
A. Ronis, R. Semaškienė	Development of tan spot (<i>Pyrenophora tritici-repentis</i>) in winter wheat under field conditions	331
R. Rugienius, T. Siksnianas, V. Stanys, D. Gelvonauskiene, V. Bendokas	Use of RAPD and SCAR markers for identification of strawberry genotypes carrying red stele (<i>Phytophthora fragariae</i>) resistance gene <i>Rpfl</i>	335
E. Runno, M. Koppel	The question of metalaxyl resistance on late blight fungus in Estonia	341
M. Samuitienė, M. Navalinskienė	Molecular detection and characterization of phytoplasma infecting <i>Celosia argentea</i> L. plants in Lithuania	345
A. Sasnauskas, D. Gelvonauskienė, B. Gelvonauskis, V. Bendokas, D. Baniulis	Resistance to fungal diseases of apple cultivars and hybrids in Lithuania	349
V. Seibutis, I. Deveikyte	The influence of short crop rotations on weed community composition	353

I. Sell	Size and shape of basidiospores in the <i>Phellinus igniarius</i> group	359
R. Semaškienė, A. Mankevičienė, Z. Dabkevičius, S. Supronienė	Effect of fungicides on <i>Fusarium</i> infection and production of deoxynivalenol in spring cereals	363
T. Siksnianas, V. Stanys, G. Stanienė, C. Bobinas, A. Sasnauskas, R. Rugienius	Resistance to fungal diseases of interspecific currant hybrids of <i>Eucoreosma</i> section	367
A. Sliesaravičius, J. Pekarskas, V. Rutkoviienė, K. Baranauskis	Grain yield and disease resistance of winter cereal varieties and application of biological agent in organic agriculture	371
R. Smatas	The occurrence and control of aphids and thrips in winter triticale	379
P. Sooväli, A. Bender	The occurrence of powdery mildew on crested hairgrass in different growing conditions	385
P. Sooväli, M. Koppel, H. Nurmekivi	Optimization of chemical disease control in spring wheat	389
A. Stankevičienė, J. Varkulevičienė	Pathogenic micromycete species functioning in the rhizosphere of sick pot-plants growing in peat substrate	393
S. Supronienė, O. Auškalnienė, Z. Dabkevičius, A. Mankevičienė	The effects of growth regulators on spring barley (<i>Hordeum vulgare</i> L.) morphological indicators and grain contamination with fungi and mycotoxins	397
E. Survilienė, E. Dambrauskienė	Effect of different active ingredients of fungicides on <i>Alternaria</i> spp. growth <i>in vitro</i>	403
L. Talgre, E. Lauringson, V. Vasar, H. Roostalu	The effect of pests on the yield and economical value of cereals	407
K. Tiirmaa, N. Univer, T. Univer	Evaluation of apple cultivars for scab resistance in Estonia	413
L. Urbanavičienė, D. Valiūnas, R. Jomantienė	Detection of aster yellows group (subgroup 16SrI-B) phytoplasma in oats based on nested PCR and RFLP in Lithuania	417
N. Uselis, A. Valiuškaitė, L. Raudonis	Incidence of fungal leaf diseases and phytophagous mites in different strawberry cultivars	421
A. Valiuškaitė, N. Kviklienė, D. Kviklys, J. Lanauskas	Postharvest fruit rots incidence depending on apple maturity	427
I. Vanaga, J. Gurkina, O. Treikale, I. Priekule, J. Pugacova	Influence of <i>Heracleum sosnowskyi</i> control measures on weed diversity in agricultural fields in Latvia	433
M. Vasinauskienė, J. Radušienė, I. Zitikaitė, E. Survilienė	Antibacterial activities of essential oils from aromatic and medicinal plants against growth of phytopathogenic bacteria	437

A. Velykis, A. Satkus	Influence of crop rotations and reduced tillage on weed population dynamics under Lithuania's heavy soil conditions	441
E. Veromann, A. Luik, R. Kevvõi	The impact of field edges on the incidence of <i>Meligethes aeneus</i> Fab. larvae and their parasitisation in spring and winter oilseed rape	447
R. Virbickaitė, A. P. Sirvydas, P. Kerpauskas, R. Vasinauskiene	The comparison of thermal and mechanical ways of weed control	451
K. Voolma, I. Sibul	The effect of collecting fluid on the catch results of <i>Hylobius abietis</i> in pitfall traps	457
A. Wagner, W. Michalek, A. Jamiolkowska	Chlorophyll fluorescence measurements as indicators of fusariosis severity in tomato plants	461
I. H. Williams	Integrating parasitoids into management of pollen beetle on oilseed rape	465
I. Zitikaitė, J. Staniulis	The use RT-PCR for detection of cucumber infecting viruses	471
M. Žižytė, J. Staniulis, I. Zitikaitė	Identification of <i>Beet necrotic yellow vein virus</i> isolate detected in Lithuania	475