

Contents

A. Adamavičienė, K. Romanekas, E. Šarauskis, V. Pilipavičius	
Non-chemical weed control in sugar beet crop under an intensive and conservation soil tillage pattern: II. Crop productivity	143
A. Arlauskienė, A. Šlepetienė, S. Maikštėnienė, D. Nemeikšienė	
The variation of mobile humic acids and mineral nitrogen in the soil as affected by the use of perennial grasses for green manure	149
O. Auškalnienė, A. Auškalnis	
The influence of tillage system on diversities of soil weed seed bank	156
A. Auškalnis, O. Auškalnienė	
Harrowing timing for winter wheat and spring barley under organically growing conditions	162
O. Auškalnienė, A. Kadžys, A. Auškalnis, G. Pšibišauskienė	
Weed emergence and survival in spring barley	169
E. Baksiene	
The influence of lake sediments on the fertility of Cambisol	175
E. Bakšienė, A. Ražukas, T.L. Nedzinskienė	
Effects of organic farming and crop rotations on crop productivity and nutrient amount in the soil	183
L. Balezentiene, E. Klimas	
Effect of organic and mineral fertilizers and land management on soil enzyme activities	191
B. Bankina, Z. Gaile	
Evaluation of barley disease development depending on varieties	198
N. Burbulis, A. Blinstrubienė, R. Kuprienė, L. Žilėnaitė	
Effect of genotype and medium composition on flax (<i>Linum usitatissimum</i> L.) anther culture	204
R. Butkutė, N. Daugėlienė, E. Butkuvienė	
The effect of soil pH and natural fertilizers on the productivity of different mixtures and nitrogen accumulation in plant biomass	210
J. Cesevičienė, A. Leistrumaitė, V. Paplauskienė	
Grain yield and quality of winter wheat varieties in organic agriculture	217
L. Česoniene, V. Rutkoviene	
Lysimetric research of nutrient losses from organic fertilizers	224
A. Dastikaitė, A. Sliesaravičius, N. Maršalkienė	
Sensibility of two hairy vetch (<i>Vicia villosa</i> Roth.) genotypes to soil acidity	233
I. Deveikyte, Z. Kadziuliene, L. Sarunaite	
Weed suppression ability of spring cereal crops and peas in pure and mixed stands	239
V. Eremeev, I. Keres, B. Tein, P. Lääniste, A. Selge, A. Luik	
Effect of different production systems on yield and quality of potato	245
K. Hiisaar, E. Švilponis, L. Metspalu, K. Jõgar, M. Mänd,	
A. Luik, R. Karise	
Influence of Neem-Azal T/S on feeding activity of Colorado Potato Beetles (<i>Leptinotarsa decemlineata</i> Say)	251

S. Hokazono, K. Hayashi, M. Sato	Potentialities of organic and sustainable rice production in Japan from a life cycle perspective	257
E. Ilumäe, E. Akk, A. Hansson, V. Kastanje	Changes the content of organic matter in soil during the whole cycle of crop rotation	263
E. Jakiene, V. Venskutonis, V. Liakas	Fertilization of sugar beetroot with ecological fertilizers	269
S. Jasinskaite, V. Pilipavicius, P. Lazauskas	Perennial weed control by two layer ploughing	277
K. Jõgar, L. Metspalu, K. Hiiesaar, A. Ploomi, E. Svilponis, A. Kuusik, N. Men'shykova, I. Kivimägi, A. Luik	Influence of white cabbage cultivars on oviposition preference of the <i>Pieris rapae</i> L. (Lepidoptera: Pieridae)	283
M. Järvan, L. Edesi	The effect of cultivation methods on the yield and biological quality of potato	289
D. Karcauskiene, R. Repsiene	Long-term manuring and liming effect on moraine loam soil fertility	300
R. Karklelienė, A. Radzevičius, E. Dambrauskienė, L. Duchovskienė, Č. Bobinas, D. Kavaliauskaitė	Reproduction features of organically grown edible carrot cultivars (<i>Daucus sativus</i> Röhl.) in Lithuania	305
K. Kauer, H. Raave, R. Viiralt, T. Köster, M. Noormets-Shansky, T. Laidna, I. Keres, A. Parol, A. Selge	Effect of clippings management on turfgrass sward productivity and nitrogen content in the clippings and soil	311
D. Kavaliauskaitė, J. Jankauskienė, E. Survilienė, O. Bundinienė, R. Starkutė, V. Zalatorius, R. Karklelienė	Competitive interaction between red beet and weeds, as affected by different weeding time	317
P. Kerpauskas, A. P. Sirvydas, R. Vasinauskienė, A. Tamošiunas	Influence of thermal effect duration on onion yield	323
I. Kivimägi, A. Ploomi, L. Metspalu, E. Svilponis, K. Jõgar, K. Hiiesaar, A. Luik, I. Sibul, A. Kuusik	Physiology of a carabid beetle <i>Platynus assimilis</i>	328
M. Klimeková, Z. Lehocká	Comparison of yields and qualitative characters of spring barley grown after three preceding crops in an organic farming system in the years 2003–2008	335
E. Koskor, R. Muljar, K. Drenkhan, R. Karise, A. Bender, E. Viik, A. Luik, M. Mänd	The chronic effect of the botanical insecticide Neem EC on the pollen forage of the bumble bee <i>Bombus terrestris</i> L.	341
R. Kosteckas, V. Liakas, A. Šiliauskas, V. Rauckis, E. Liakienė, E. Jakienė	Effect of Pinolen on winter rape seed losses in relation to maturity	347

R. Kosteckas, A. Marcinkevičienė		
The integrated evaluation of the influence of catch crops and manure on spring barley agroecosystem in organic farming	355	
J. Lanauškas, A. Valiuškaitė, N. Kviklienė, A. Sasnauskas, N. Uselis		
Assessment of apple cultivars for organic fruit cultivation	363	
Z. Lehocká, M. Klimeková, M. Bieliková, L. Mendel		
The effect of different tillage systems under organic management on soil quality indicators	369	
A. Leistrumaitė, Ž. Liatukas, K. Razbadauskienė		
The spring cereals traits of soil cover, disease resistance and yielding essential for organic growing	374	
Ž. Liatukas, A. Leistrumaitė		
Selection of winter wheat for organic growing	381	
H. Lõiveke, K. Sepp		
Effect of agrotechnical methods on occurrence of diseases and productiveness of cereals in organic agriculture	387	
L. Masilionyte, S. Maiksteniene		
The changes of mineral nitrogen content in clay loam <i>Cambisol</i> in sustainable and organic agriculture	394	
H. Meripöld, H. Lõiveke, J. Müür		
The effect of differences of conventional and organic farming agrotechnical measures on the compliance of the fodder galega 'Gale' seed production to the certification requirements	400	
L. Metspalu, K. Hiiesaar, K. Jõgar, E. Švilponis, A. Ploomi, I. Kivimägi, A. Luik, N. Mens'hikova		
Oviposition preference of <i>Pieris brassicae</i> (L) on different <i>Brassica oleracea</i> var. <i>capitata</i> L. cultivars	406	
N. Mikhailouskaya, I. Bogdevitch		
Effect of biofertilizers on yield and quality of long-fibred flax and cereal grains	412	
J. Moudrý, jr, P. Konvalina, J. Moudrý, L. Friebel, J. Friebelová		
Perennial grasslands and agroenvironmental programme effects	419	
J. Nadzeikienė, A.P. Sirvydas, R. Čingienė, R. Vasinauskienė, P. Kerpauskas		
Plant protection by foam in the thermal control process	425	
R. Nekrošienė		
Cultivation possibilities for Thyme, an important medicinal plant, in Western Lithuania	430	
B. Petkeviciene		
The effects of climate factors on sugar beet early sowing timing	436	
V. Pilipavičius, P. Lazauskas, S. Jasinskaitė		
Weed control by two layer ploughing and post-emergence crop tillage in spring wheat and buckwheat	444	
A. Ploomi, K. Jõgar, L. Metspalu, K. Hiiesaar, E. Svilponis, I. Kivimägi, N. Men'shykova, A. Luik, I. Sibul, A. Kuusik		
Effect of cultivar on oviposition preference of the cabbage moth, <i>Mamestra brassicae</i> L. (Lepidoptera: Noctuidae)	451	

K. Romaneckas, R. Romaneckienė, V. Pilipavičius	Non-chemical weed control in sugar beet crop under intensive and conservation soil tillage: I. Crop weediness	457
L. Sarunaite, I. Deveikyte, R. Semaskiene, Z. Kadziuliene	The influence of grain legumes on spring wheat yield formation and phytosanitary state	465
V. Seibutis, I. Deveikytė, V. Feiza	Effects of short crop rotation and soil tillage on winter wheat development in central Lithuania	471
K. Sepp, J. Kanger, M. Särekanno	Influence of soil tillage methods on the weediness and yields of spring wheat, spring barley and field pea in organic crop rotation	477
A. Sinkevičienė, D. Jodaugienė, R. Pupalienė, M. Urbonienė	The influence of organic mulches on soil properties and crop yield	485
R. Skuodienė, R. Nekrošienė	Effect of perennial grasses ploughed in as green manure on the occurrence of net blotch in spring barley	492
J. Slepetytė	Green manure legumes for organic seed production of <i>Phleum pratense</i>	498
A. Stankeviciene, V. Snieskiene, V. Varkuleviciene	The diversity of pathogenic fungi in the rhizosphere of pot-plants of different phytopathologic state	505
M. Starast, N. Galynskaya, K. Jõgar, T. Tasa, K. Karp, U. Moor	Blueberry diseases survey in Estonia	511
L. Talgre, E. Laurigson, H. Roostalu, A. Astover, A. Makke	Phytomass formation and carbon amount returned to soil depending on green manure crop	517
I. Tamm, Ü. Tamm and A. Ingver	Spring cereals performance in organic and conventional cultivation	522
K. Tiirmaa, T. Univer, N. Univer	The evaluation of scab resistant apple cultivars in Estonia	528
T. Univer, K. Põrk, N. Univer	Living grass mulches in strawberry cultivation	532
A. Valiuškaitė, L. Raudonis, J. Lanauškas, A. Sasnauskas, E. Survilienė	Disease incidence on different cultivars of apple tree for organic growing	536
A. Velykis, S. Maiksteniene, A. Arlauskiene, I. Kristaponyte, A. Satkus	Mechanical weed control in organically grown spring oat and field pea crops	542
E. Veromann, M. Saarniit, R. Kevväi, A. Luik	Effect of crop management on the incidence of <i>Meligethes aeneus</i> Fab. and their larval parasitism rate in organic and conventional winter oilseed rape	548